


CP-DNW-HPU8G2-96-V3

10 Ports Switch With 8 PoE Ports + 2 Gigabit Uplink Ports

- 8, 10/100Mbps; RJ45 Ports; Max. 30W Output of Single PoE Port
- IEEE802.3/802.3u/IEEE 802.3ab/802.3x
- 2, 1000Mbps; Transmission Distance: 0-100m
- Easy and safe installation: wall-mounting, desktop, Kensington security slot , Plug-and-play.
- Support ESD and Surge Protection



System Overview

As most of the CP PLUS products have been integrated with the Power of Ethernet technology which makes troubleshooting easier in case any errors occur. This can be done with the help of a PoE Switch makes increases reliability rapidly.

Functions

Reliable Switching Performance

This Ethernet Switch by CP PLUS offers the forwarding capacity to simultaneously process traffic on all ports at a stable line rate without any packet loss.



CP-DNW-HPU8G2-96-V3

10 Ports Switch With 8 PoE Ports + 2 Gigabit Uplink Ports

Functions

Better Connectivity

This PoE Switch has designed for outstanding power with flexible placement for better and advanced connectivity between network devices.

LED Indicator

LED lights have been installed in this Ethernet Switch to work as indicators for you to realize simple work statement reminders and clear the troubles.

Switching Performance

This PoE Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss.

Supports Full Duplex Mode

The duplex mode makes this Ethernet Switch capable of sending and receiving information at the same time, enabling bi-directional network data transmissions to save time and money.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-DNW-HPU8G2-96-V3

10 Ports Switch With 8 PoE Ports + 2 Gigabit Uplink Ports

Feature	Specification
Uplink Ports	2, 1000Mbps; RJ45 Ports; Transmission Distance: Default: 0-100m
PoE Ports	8,10/100Mbps; RJ45 Ports; Max. 30W Output of Single PoE Port
Network Standard	IEEE802.3/802.3u/IEEE 802.3ab/802.3x
Switch Capacity	5.6Gbps (non-blocking)
Packet Forwarding Rate	4.166Mpps
Network Ports	10
MAC Address List	2K
Transmission Distance	0-100m/100Mbps or Max. 250m/10Mbps via Cat.5e or more under Extend mode
PoE Standard	IEEE802.3af, IEEE802.3at
Packet Buffer	448K
PoE watchdog	Support
Surge Protection	Common mode/RJ45 port: 4KV ,Differential mode/RJ45 port: 2KV, Common mode/Power board: 2KV,Differential mode/Power board:2KV
ESD Protection	Air discharge: 8KV, Contact discharge: 6KV
VLAN	Support
Forwarding Mode	Store-and-forward
PWR (Power supply Indicator)	Light on: Powering ;Light off: No Power
Mode DIP	Green light off: Normal/Default mode ;Green light on: VLAN mode; Green light flash: Extend mode
RJ-45 ACT indicator	Green light off: Link is disconnected ,Green light on: Link is connected ,Green light flash: Data Transmitting
PoE Power Supply	1/2(+),3/6(-)

Feature	Specification
Operating Temperature	-10°C~50°C
Humidity	5%-90% , non-condensing
Storage Temperature	-40°C~70°C
PoE Power Budget	96W
Power Source	Built-in Power Supply, Input: 100-240V AC, 50/60Hz
Power Consumption	<5W
Dimensions	200mm x 118mm x 44mm
Weight	0.62kg (not include input cable & packaging)