

CP-UNW-HPU8H2-96

10 Ports Switch with 8 PoE Ports & 2 Uplink Ports

- Port 1-8: 8 × RJ-45 10/100 Mbps (PoE), Port 9-10: 2 × RJ-45 10/100 Mbps (Uplink)
- IEEE802.3, IEEE802.3u, IEEE802.3x
- Transmission distance of ports 1–8 can reach up to 250 Mtr., Negotiation speed can be reduced to 10 Mbps
- Easy and safe installation: wall-mounting, desktop, Plug-and-play



System Overview

As most of the CP PLUS products have been integrated with the Power of Ethernet technology which makes troubleshooting easier in case any errors occur. This can be done with the help of a PoE Switch makes increases reliability rapidly.

Functions

Better Connectivity

This PoE Switch has designed for outstanding power with flexible placement for better and advanced connectivity between network devices



CP-UNW-HPU8H2-96

10 Ports Switch with 8 PoE Ports & 2 Uplink Ports

Functions

Switching Performance

This PoE Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss.

Easy to Use

This switch supports plug-and-play installation for quick device connectivity. An intuitive web-based interface enables easy configuration, monitoring, and port management. Clear LED indicators provide instant status of power, PoE, and network activity, ensuring smooth and reliable operation.

LED Indicator

LED lights have been installed in this Ethernet Switch to work as indicators for you to realize simple work statement reminders and clear the troubles.

Supports Full Duplex Mode

The duplex mode makes this Ethernet Switch capable of sending and receiving information at the same time, enabling bi-directional network data transmissions to save time and money.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-UNW-HPU8H2-96

10 Ports Switch with 8 PoE Ports & 2 Uplink Ports

Feature	Specification
Network Standard	IEEE802.3, IEEE802.3u, IEEE802.3x
Switching Capacity	1.6 Gbps
Packet Forwarding Rate	1.488 Mbps
MAC Address List	2K
Packet Buffer	768 Kbit
DIP switch	Long Distance PoE: The transmission distance of ports 1–8 can reach up to 250 Mtr., The negotiation speed can be reduced to 10 Mbps
ESD Protection	Air discharge: 8KV, Contact discharge: 6KV
Lightning Protection	Common mode: 6KV
PoE Pin Assignment	1/2+, 3/6-
Long Distance PoE Transmission	Support
Description of Function Slots	Port 1-8: 8 × RJ-45 10/100 Mbps (PoE), Port 9-10: 2 × RJ-45 10/100 Mbps (Uplink)
Jumbo Frame	2048 Byte
PoE Power	Port 1-8≤30 W, total≤96 W
Power Supply	Built-in power supply:200-240 VAC, 50/60 Hz, Max. 1.5A
Power Consumption	Idling: 0.6W, Full load: 96W
Operating Temperature	–10°C to +45°C
Operating Humidity	10%–90% (RH), non-condensing
Storage Temperature	–40°C to +75°C
Storage Humidity	5%–95% (RH), non-condensing
Casing	Sheet Metal
Dimensions	200mm × 139.9mm × 44mm
Weight	610 g