



Welcome to Logitech Support

 How can we help you?

-  Register
-  Getting Started
-  FAQ
-  Downloads
-  Videos
-  Warranty
-  Specifications
-  Spare Parts
-  Contact Us

Specification - G502 X LIGHTSPEED Gaming Mouse

Product Information		
Component	Model Number (M/N)	Location
Mouse	MR0103	Label inside the receiver compartment
Receiver	CU0021	On receiver

Product Dimensions				
Component	Height	Width	Depth	Weight
Mouse	131.4 mm	41.1 mm	79.2 mm	102 g

Mouse Specifications	
Connection Type	USB
USB VID_PID	VID_046D&PID_C098
USB Protocol	2.0
USB Speed	Full-speed
USB Report Rate	1,000 MHz (Min 1ms)
DPI (Min/Max)	Min: 100 - Max: 25,600
Sensor	HERO™
Sensor Type	Optical, Visible light: No



Mouse Specifications	
Max acceleration	> 40G 2
Max tracking speed	> 400 IPS
Onboard Memory	Yes (5)
Scroll Wheel	Vertical scroll type: Hyper-fast Left/Right tilt: Yes
Indicator Lights (LED)	Functional LED at the front of the product
RGB	No
Number of Buttons	11 buttons, 13 Programmable controls
Connect/Power	On/Off Switch (under mouse)
Battery Details	Type: Rechargeable Quantity: 1 Accessible: No Size: Proprietary Technology: Li-polymer
Battery Life	Up to 500 hours - HI mode (performance); Up to 18 months - LO mode (endurance)
Materials used	Rubber, ABS, PC, PCR
Other Features	Thumb button orientable 180° and removable (replacement by keycap - extending the grip area) Scroll Wheel Vertical scroll type: Hyper-fast / Left/Right tilt: Yes Powerplay compatible gaming mouse

Receiver Specifications	
Connection Type	USB 2.0
USB VID_PID	VID_046D&PID_C547 (Wireless)
USB Protocol	HID
USB Speed	Full-speed
Wireless Protocols	Lightspeed 2 (including 2:1 pairing with a compatible Keyboard receiver)

Was this article helpful?

✓

Yes

✗

No

13 out of 25 found this helpful

[Return to top](#) 

LOGITECH SUPPORT

Business Support Home

Support Home

[Downloads & Apps](#)

[Spare Parts](#)

[MyHarmony Support](#)

[Compliance Certificates](#)

[Warranty Information](#)

[Privacy + Security](#)

[Contact Us](#)

© 2026 Logitech. All rights reserved