

Untether your laptop.



USB-C® Pro Multiport Hubs

Expand your connectivity options


Unleash enhanced connectivity by converting a single USB-C® port into multiple versatile ports with Verbatim's latest range of USB-C® Pro Multiport Hubs.

The extensive range includes models that range from 5 ports up to a whopping 14 ports, to suit modern lifestyles and diverse connectivity requirements:

- **32150: USB-C® Pro 5-Port Hub**
HDMI | RJ45 | USB-A 3.2 Gen 1 x 2 | USB-C PD
- **32151: USB-C® Pro 8-Port Hub**
HDMI x 2 | USB-A 3.2 Gen 1 x 3 | USB-C PD | SD Card | microSD
- **32152: USB-C® Pro 9-Port Hub**
HDMI | RJ45 | USB-A 3.2 Gen 2 | USB-A 3.2 Gen 1 x 2 | USB-C 3.2 Gen 2 x 2 | SD Card | microSD
- **32153: USB-C® Pro 13-Port Hub**
HDMI x 2 | DisplayPort | RJ45 | USB-A 3.2 Gen 1 | USB-A 3.2 Gen 2 | USB-A 2.0 x 2 | USB-C PD x 2 | Audio
- **32154: USB-C® Pro 14-Port Hub**
HDMI x 2 | VGA | RJ45 | USB-A 3.2 Gen 1 x 3 | USB-C 3.2 Gen 1 | USB-A 2.0 x 2 | USB-C PD | Audio | SD Card | microSD

Features & Benefits

- Transform a single USB-C® port into multiple ports for increased productivity on your laptop
- Compact size
- 4K HDMI ports to expand your display
- Multiple USB port options for modern connectivity requirements
- Range of models for different connectivity requirements



4K HDMI
Resolution



Compact &
Mobile



Fast Data
Transfer



USB-C®
Plug & Play

USB-C® Pro 5-Port Hub



SKU: 32150

Untether your laptop.

Unleash enhanced connectivity by converting a single USB-C® port into five versatile ports with the Verbatim USB-C Pro 5 Port Hub. Featuring an HDMI port for connection to compatible TVs, a Gigabit Ethernet port for wired internet connection, two USB-A ports and a USB-C PD port for uninterrupted pass-through charging.

Swift data transfer is at your fingertips with USB 3.2 Gen 1 technology, ensuring efficient workflows and minimal wait times.

Immerse yourself in crisp 4K video output through the HDMI port, ideal for presentations, movie watching, or expanding your workspace with crystal-clear visuals.

Never worry about running out of battery during critical tasks with power delivery support and pass-through charging capabilities (where supported).

Elevate your connectivity game with the Verbatim USB-C Pro 5-Port Hub, your go-to solution for seamless and efficient multitasking.



Features & Benefits

- Transform a single USB-C® port into five versatile ports to connect a wide range of devices
- 1 x HDMI, 1 x RJ45, 2 x USB-A 3.2 Gen1, 1 x USB-C PD
- USB 3.2 Gen 1 technology ensures fast data transfer speeds
- HDMI interface supports up to 4K output video from your computer to a 4K monitor
- Provides USB-C™ power charging – easily charge your USB-C® device whilst still using other ports
- Verbatim 2 year limited warranty.

System Requirements

- Interface: USB-C must support video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents

- USB-C® Pro Multiport Hub
- Quick Start Guide



SKU: 32150

Technical Information

General Information	
Material	Aluminum + ABS
Colour	Silver
Interfaces	
Host Connection	USB-C® 3.1 Gen 2 with up to 85W power pass-through
Cable Length	15cm
Video Ports	1 x HDMI up to 4K @ 60Hz (3840x2160) compatible with TV screens
Ethernet Port	1 x RJ45 Gigabit Ethernet up to 1Gb/s
USB-A Ports	2 x USB-A 3.2 Gen 1, 5Gb/s data transmission, downwards compatible with USB 2.0, 5V 0.9A @ 4.5W
USB-C Ports	1 x USB-C 3.2 Gen 1, 5Gb/s data transmission compatible with PD (Power Delivery), Input Power: up to 100W (15W is reserved for other ports)
Other Features	
Certificates	EAC / CE / UKCA / FCC
ROHS/REACH Compliance	Yes
Storage & Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

Part Number	Description	Bar Code	EAN128 Code	EAN14 Code
32150	USB-C® Pro Multiport Hub - 5 Port	023942321507	(02)00023942321507(37)10(91)891 (02)00023942321507(37)40(91)891	20023942321501 50023942321502

Logistic Information	
Product Dimensions L x W x H	112 x 49 x 15.5mm
Product Weight	83g
Units per Pack	1
Pack Dimensions L x W x H	155 x 85 x 20mm
Pack Weight	127g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	325 x 97 x 110mm
Inner Carton Weight	1380g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	345 x 215 x 250mm
Master Carton Weight	5920g
Master Cartons per Layer	12
Layers per Pallet	4
Units per Pallet	1920



USB-C® Pro 8-Port Hub



SKU: 32151

Take your entire desktop with you.

Introducing the USB-C® Pro 8 Port Hub, a connectivity powerhouse for streamlined productivity.

Unleash enhanced connectivity by converting a single USB-C® port into eight versatile ports, including USB 3.2 and HDMI.

Swift data transfer is at your fingertips with USB 3.2 Gen 1 technology, ensuring efficient workflows and minimal wait times.

Immerse yourself in crisp 4K video output through the HDMI port, ideal for presentations, movie watching, or expanding your workspace with crystal-clear visuals.

Do you need a card reader too? Well this hub comes with card reader slots for both SD and microSD memory cards.

Plug the hub into the USB-C® port on your laptop to immediately increase your working possibilities.

Features & Benefits


- Transform a single USB-C® port into eight ports including HDMI and SD card readers for comprehensive connectivity
- 2 x HDMI, 3 x USB-A 3.2 Gen1, 1 x SD card slot, 1 x microSD card slot, 1 x USB-C PD
- Dual HDMI output enables connection to multiple monitors for an expanded workspace
- USB 3.2 Gen1 technology ensures fast data transfer speeds
- Integrated SD and microSD memory card slots
- Provides USB-C® power charging - easily charge your USB-C® device whilst still using other ports
- Verbatim 2 year limited warranty.

System Requirements

- Interface: USB-C must support video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents

- USB-C® Pro Multiport Hub
- Quick Start Guide



SKU: 32151

Technical Information

General Information	
Material	Aluminum + ABS
Colour	Silver
Interfaces	
Host Connection	USB-C® 3.1 Gen 2 with up to 85W power pass-through
Cable Length	15cm
Video Ports	HDMI 1: up to 8K @ 30Hz (7680x4320) (works separately if source DP 1.4) / up to 4K @ 60Hz (3840x2160) (works separately if source DP 1.2) HDMI 2: up to 4K @ 30Hz (3840x2160) (works separately if source DP 1.2)
SD/microSD Slot	Read: up to 104MB/s, Write: up to 80MB/s (Data transfer rate are subject to the speed of the memory card itself and your computer's USB ports)
USB-A Ports	3x USB-A 3.2 Gen1, 5Gb/s data speed, downwards compatible with USB 2.0, Max. power output 5V 0.9A@4.5W
USB-C Ports	1x USB-C 3.2 Gen1, 5Gb/s data transmission compatible with PD (Power Delivery), Input Power: up to 100W (15W is reserved for other ports)
Other Features	
Certificates	EAC / CE / UKCA / FCC
ROHS/REACH Compliance	Yes
Storage & Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

Part Number	Description	Bar Code	EAN128 Code	EAN14 Code
32151	USB-C® Pro Multiport Hub - 8 Port	023942321514	(02)00023942321514(37)10(91)891 (02)00023942321514(37)40(91)891	20023942321518 50023942321519

Logistic Information	
Product Dimensions L x W x H	121 x 40 x 13mm
Product Weight	79g
Units per Pack	1
Pack Dimensions L x W x H	155 x 85 x 20mm
Pack Weight	123g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	325 x 97 x 110mm
Inner Carton Weight	1340g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	345 x 215 x 250mm
Master Carton Weight	5760g
Master Cartons per Layer	12
Layers per Pallet	4
Units per Pallet	1920



USB-C® Pro 9-Port Hub



SKU: 32152

No more limits for your laptop.

Introducing the USB-C® Pro 9 Port Hub, a connectivity powerhouse for streamlined productivity. Unleash enhanced connectivity by converting a single USB-C® port into nine versatile ports, including USB 3.2 Gen2 and HDMI.

Swift data transfer is at your fingertips with USB 3.2 Gen2 technology, ensuring efficient workflows and minimal wait times.

Immerse yourself in crisp 4K video output through the HDMI port, ideal for presentations, movie watching, or expanding your workspace with crystal-clear visuals.

Do you need a card reader too? Well this hub comes with card reader slots for both SD and microSD memory cards.

Plug the hub into the USB-C™ port on your laptop to immediately increase your working possibilities.



Features & Benefits

- Transform a single USB-C port into nine ports including USB-C® and USB-A with different generations for maximum device compatibility
- 1 x HDMI, 1 x RJ45, 2 x USB-C 3.2 Gen2, 1 x USB-A 3.2 Gen2, 2 x USB-A 3.2 Gen1, 1 x SD card slot, 1 x microSD card slot
- 4K resolution HDMI video supported
- Benefit from a stable, wired network connection with the gigabit ethernet port
- USB 3.2 Gen 1 technology ensures fast data transfer speeds
- Integrated SD and microSD memory card slots
- Verbatim 2 year limited warranty.

System Requirements

- Interface: USB-C must support video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents

- USB-C® Pro Multiport Hub
- Quick Start Guide



SKU: 32152

Technical Information

General Information	
Material	Aluminum + ABS
Colour	Silver
Interfaces	
Host Connection	USB-C® 3.1 Gen 2 with up to 85W power pass-through
Cable Length	15cm
Video Ports	HDMI: up to 4K @ 60Hz (3840x2160) (works separately if source DP 1.4), up to 4K @ 30Hz (3840x2160) (works separately if source DP 1.2)
SD/microSD Slot	Read: up to 104MB/s, Write: up to 80MB/s (Data transfer rate are subject to the speed of the memory card itself and your computer's USB ports)
Ethernet Port	1x RJ45 Gigabit Ethernet up to 1Gb/s
USB-A Ports	2x USB-A 3.2 Gen1, up to 5Gb/s with a maximum power output of 5V/0.9A 1x USB-A 3.2 Gen2, up to 10Gb/s with a maximum power output of 5V/0.9A
USB-C Ports	2x USB-C 3.2 Gen2, up to 10Gb/s with a maximum power of 5V/1.9A (not for charging, don't plug your power supply).
Other Features	
Certificates	EAC / CE / UKCA / FCC
ROHS/REACH Compliance	Yes
Storage & Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

Part Number	Description	Bar Code	EAN128 Code	EAN14 Code
32152	USB-C® Pro Multiport Hub - 9 Port	023942321521	(02)00023942321521(37)10(91)891 (02)00023942321521(37)40(91)891	20023942321525 50023942321526

Logistic Information	
Product Dimensions L x W x H	121 x 49 x 15.5mm
Product Weight	88g
Units per Pack	1
Pack Dimensions L x W x H	155 x 85 x 20mm
Pack Weight	132g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	325 x 97 x 110mm
Inner Carton Weight	1430g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	345 x 215 x 250mm
Master Carton Weight	6120g
Master Cartons per Layer	12
Layers per Pallet	4
Units per Pallet	1920

USB-C® Pro 13-Port Hub



SKU: 32153

Extensive expansion.

The Verbatim USB-C® Pro 13-Port Hub comes equipped with a huge thirteen options for connectivity, including dual HDMI ports and a DisplayPort for triple screen working.

The two HDMI ports on the hub allow you to expand your display onto dual compatible TVs or monitors. It supports Ultra HD 8K razor-sharp resolutions, providing feature-rich content for the ultimate immersive experience.

Ideal for editors and creators, the gigabit ethernet port provides the ability to benefit from the speeds of a wired internet connection and the audio port allows connection to speakers or a headset.

There are a whopping six USB-A ports in different generations supporting devices of different speeds and two USB-C PD (Power Delivery) to ensure your devices stay charged.



Features & Benefits


- Transform a single USB-C® port into thirteen ports including dual HDMI, High speed PD ports and gigabit ethernet connection
- 2 x HDMI, 1 x DisplayPort, 1 x RJ45, 3 x USB-A 3.2 Gen 1, 1 x USB-A 3.2 Gen 2, 2 x USB-A 2.0, 1 x Audio, 2 x USB-C PD
- Triple 4K video output
- Dual HDMI outputs capable of handling up to 8K resolution for stunning visuals
- Gigabit ethernet port for high speed, wired internet access
- Dual USB-C Power Delivery – charge devices while using the hub with pass-through charging
- Verbatim 2 year limited warranty.

System Requirements

- Interface: USB-C must support video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents

- USB-C® Pro Multiport Hub
- Quick Start Guide



SKU: 32153

Technical Information

General Information	
Material	Aluminum + ABS
Colour	Silver
Interfaces	
Host Connection	USB-C® 3.1 Gen 2 with up to 85W power pass-through
Cable Length	15cm
Video Ports	HDMI 1: 8K @ 30Hz (7680x4320) HDMI 2: 8K @ 30Hz (7680x4320) DP: 8K @ 30Hz (7680x4320)
Audio	3.5mm Audio & Microphone (CTIA Standard)
Ethernet Port	1x RJ45 Gigabit Ethernet up to 1Gb/s
USB-A Ports	1x USB-A 3.2 Gen2, up to 10Gb/s with a maximum power output of 5V/0.9A 3x USB-A 3.2 Gen1, up to 5Gb/s with a maximum power output of 5V/0.9A 2x USB-A 2.0, up to 480Mbps data speed. Designed for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc
USB-C Ports	2x USB-C PD + Data: Support 100W power in, charging limited to 87-96W for safety. Up to 10Gbps data speed
Other Features	
Certificates	EAC / CE / UKCA / FCC
ROHS/REACH Compliance	Yes
Storage & Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

Part Number	Description	Bar Code	EAN128 Code	EAN14 Code
32153	USB-C® Pro Multiport Hub - 13 Port	023942321538	(02)00023942321538(37)10(91)891 (02)00023942321538(37)40(91)891	20023942321532 50023942321533

Logistic Information	
Product Dimensions L x W x H	160 x 55 x 15mm
Product Weight	150g
Units per Pack	1
Pack Dimensions L x W x H	200 x 100 x 22mm
Pack Weight	206g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	415 x 112 x 130mm
Inner Carton Weight	2210g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	435 x 245 x 290mm
Master Carton Weight	9400g
Master Cartons per Layer	8
Layers per Pallet	3
Units per Pallet	960



USB-C® Pro 14-Port Hub



SKU: 32154

Diverse connectivity.

The Verbatim USB-C® Pro 14-Port Multiport Hub comes with a huge variety of connections. With fourteen ports, including dual HDMI ports plus a VGA port for legacy monitor support, multi-screen working and viewing is possible.

Dual HDMI ports allow you to expand your display onto dual compatible TVs or monitors. There is also a VGA input for legacy monitor support at 1080p resolution. These can all be used at once for triple screen working.

The many USB ports including five USB-A and two USB-C®, one of which is USB-C® PD provide possibilities for multiple devices with the benefit of a wired internet connection via the gigabit ethernet port.

For budding photographers, the hub has both an SD and microSD memory card slot for the quick and easy transfer of photos and videos.

Finally the 3.5mm audio port makes using speakers or a headset simple and convenient.

Features & Benefits

- Transform a single USB-C® port into fourteen ports including dual HDMI, VGA, and gigabit ethernet connection
- 2 x HDMI, 1 x VGA, 1 x RJ45, 3 x USB-A 3.2 Gen1, 1 x USB-C 3.2 Gen1, 2 x USB-A 2.0, 1 x SD card slot, 1 x microSD card slot, 1 x Audio jack, 1 x USB-C PD
- Triple 1080p video output
- Dual 4K HDMI display support
- VGA socket for legacy monitor support
- Equipped with a combination of USB-A and USB-C ports for connecting multiple devices
- Integrated SD and microSD memory card slots
- Gigabit ethernet port for high speed, wired internet access
- Dual USB-C Power Delivery – charge devices while using the hub with pass-through charging
- Verbatim 2 year limited warranty.


System Requirements

- Interface: USB-C must support video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents

- USB-C® Pro Multiport Hub
- Quick Start Guide

[verbatim.com](https://www.verbatim.com)



SKU: 32154

Technical Information

General Information	
Material	Aluminum + ABS
Colour	Silver
Interfaces	
Host Connection	USB-C® 3.1 Gen 2 with up to 85W power pass-through
Cable Length	15cm
Video Ports	HDMI 1: up to 4K @ 60Hz (3840x2160) (works separately while source DP 1.4) / up to 4K @ 30Hz (3840x2160) (works separately while source DP 1.2) HDMI 2: up to 4K @ 30Hz (3840x2160)
Audio	3.5mm Audio & Microphone (CTIA Standard)
SD/microSD Slot	Read: up to 104MB/s, Write: up to 80MB/s (Data transfer rate are subject to the speed of the memory card itself and your computer's USB ports)
Ethernet Port	1x RJ45 Gigabit Ethernet up to 1Gb/s
USB-A Ports	2x USB-A 2.0, up to 480Mbps data speed. Designed for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc. 3x USB-A 3.2 Gen1, up to 5Gb/s data speed & max power output 5V/0.9A, backwards compatible with USB 2.0.
USB-C Ports	1x USB-C 3.2 Gen1 for Data Transfer, up to 5Gb/s data speed & maximum power output 5V/0.9A. 1x USB-C PD charging port: Power Delivery (PD 3.2 Gen1), up to 100W upstream charging the source devices such as USB-C Laptop/MacBook
Other Features	
Certificates	EAC / CE / UKCA / FCC
ROHS/REACH Compliance	Yes
Storage & Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

Part Number	Description	Bar Code	EAN128 Code	EAN14 Code
32154	USB-C® Pro Multiport Hub - 14 Port	023942321545	(02)00023942321545(37)10(91)891 (02)00023942321545(37)40(91)891	20023942321549 50023942321540

Logistic Information	
Product Dimensions L x W x H	140 x 55 x 15mm
Product Weight	125g
Units per Pack	1
Pack Dimensions L x W x H	200 x 100 x 22mm
Pack Weight	186g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	415 x 112 x 130mm
Inner Carton Weight	2010g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	435 x 245 x 290mm
Master Carton Weight	8600g
Master Cartons per Layer	8
Layers per Pallet	3
Units per Pallet	960